

Heavy Duty Dump Trailer



DT83X14E702



DT5X10E502



DT83X16E702GN



DT6X10E522



Manufactured by:
Behnke Enterprises, Inc.
800 Ninth Ave. NW Farley, IA 52046
Ph. (563)744-3246 Fax (563)744-9066
www.behnkeenterprises.com

Dump Trailer

5,000 lb. GVW DT5X8E502 DT5X10E502



GVWR — 5,000 LB.

Box Size — 5' Wide x 8' or 10' Long

Sides — 10 Gauge Solid Steel Sides (2')

Floor — 10 Gauge Steel

Gate

10 Gauge Solid steel combination gate —
Capable of top swing, bottom swing,
center split and removable

Lift Cylinder

3" x 20" Cylinder Lift with Power Up and Power Down

Axle

(1) 6,000 lb. Dexter E-Z Lube
Axles with Electric Brakes

Brakes — Electric and Forward Self-Adjusting

Tire/Wheel

(2) ST225-75R-15D Radial Tires
with 6-hole White Wheels

Hitch

2 5/16" Adjustable Coupler or Pintle Hitch

Jack

(1) 7,000 lb. Heavy Duty Drop Leg Jack

Battery

Interstate Deep Cell with Battery Charger

Ramps — No ramps (optional)

Tarp Tie Down Hooks — Yes

Stake Pockets — Yes

Breakaway Kit

12-Volt with Full Charge Indicator, Switch & Battery

Lights — Rubber Mounted LED

Reflector Tape — No

Light Plug Holder — Yes

Wire Harness — Modular Wire Harness

Safety Chain — (2) 3/8"

Finish — Zinc Rich Primed and Powder Coat Finish



www.behnkeenterprises.com

Dump Trailer

10,000 lb. GVW DT6X10E522



GVWR — 10,000 LB.

Box Size — 6' Wide x 10' Long

Sides — 10 Gauge Solid Steel Sides (2')

Floor — 10 Gauge Steel

Gate

10 Gauge Solid steel combination gate —
Capable of top swing, bottom swing,
center split and removable

Hoist

Scott LL-400DH Drop Hinge Hoist (Scissors Type)

Axles

(2) 6,000 lb. Dexter E-Z Lube
Axles with Electric Brakes

Brakes — Electric and Forward Self-Adjusting

Tire/Wheel

(4) ST225-75R-15D Radial Tires
with 6-hole White Wheels

Hitch

2 5/16" Adjustable Coupler or Pintle Hitch

Jack

(1) 7,000 lb. Heavy Duty Drop Leg Jack

Battery

Interstate Deep Cell with Battery Charger

Ramps — No ramps (optional)

Tarp Tie Down Hooks — Yes

Stake Pockets — Yes

Breakaway Kit

12-Volt with Full Charge Indicator, Switch & Battery

Lights — Rubber Mounted LED

Reflector Tape — Yes

Light Plug Holder — Yes

Wire Harness — Modular Wire Harness

Safety Chain — (2) 3/8"

Finish — Zinc Rich Primed and Powder Coat Finish

Dump Trailer

12,000 lb. GVW DT6X12 • DT83X12 • DT83X14



GVWR — 12,000 LB.

Box Size — 6' or 83" Wide x 12' or 14' Long

Sides — 10 Gauge Solid Steel Sides (2' or 3')

Floor — 10 Gauge Steel

Gate

10 Gauge Solid steel combination gate —
Capable of top swing, bottom swing,
center split and removable

Hoist

Scott LL-600 Drop Hinge (Scissors Type),
10 Ton Capacity

Axles

(2) 6,000 lb. Dexter E-Z Lube
Axles with Electric Brakes

Brakes — Electric and Forward Self-Adjusting

Tire/Wheel

(4) ST235-80R-16E Range Radial Tires
with 8-hole White Wheels

Hitch

2 5/16" Adjustable Coupler, Pintle Hitch or
2 5/16 Gooseneck Coupler

Jack

(1) 10,000 lb. Heavy Duty Drop Leg Jack

Battery

Interstate Deep Cell with Battery Charger

Ramps — (2) 6' Slide-in

D-Rings — (4) (Inside box)

Tarp Tie Down Hooks — Yes

Stake Pockets — Yes

Breakaway Kit

12-Volt with Full Charge Indicator, Switch & Battery

Lights — Rubber Mounted LED

Reflector Tape — Yes

Light Plug Holder — Yes

Wire Harness — Modular Wire Harness

Safety Chain — (2) 3/8"

Finish — Zinc Rich Primed and Powder Coat Finish

Dump Trailer 12' or 14'

14,000 lb. GVW DT6X12 • DT6X14 • DT83X12 • DT83X14



GVWR — 14,000 LB.

Box Size — 6' or 83" Wide x 12' or 14' Long

Sides — 10 Gauge Solid Steel Sides (2' or 3')

Floor — 10 Gauge Steel

Gate

10 Gauge Solid steel combination gate — Capable of top swing, bottom swing, center split and removable.

Hoist

Scott LL-600 Drop Hinge (Scissors Type), 10 Ton Capacity

Axles

(2) 7,000 lb. Dexter E-Z Lube Axles with Electric Brakes

Brakes — Electric and Forward Self-Adjusting

Tire/Wheel

(4) ST235-80R-16E Range Radial Tires with 8-hole White Wheels

Hitch

2 5/16" Adjustable Coupler, Pintle Hitch or 2 5/16 Gooseneck

Jack

(1) 10,000 lb. Heavy Duty Spring Loaded Jack

Battery

Interstate Deep Cell with Battery Charger

Ramps — (2) 6' Slide-in

D-Rings — (4) (Inside box)

Tarp Tie Down Hooks — Yes

Stake Pockets — Yes

Breakaway Kit

12-Volt with Full Charge Indicator, Switch & Battery

Lights — Rubber Mounted LED

Reflector Tape — Yes

Light Plug Holder — Yes

Wire Harness — Modular Wire Harness

Safety Chain — (2) 3/8"

Finish — Zinc Rich Primed and Powder Coat Finish

Dump Trailer 16'

14,000 lb. GVW DT83X16



GVWR — 14,000 LB.

Length — 16'

Box Size — 83" Wide x 16' Long

Sides — 10 Gauge Solid Steel Sides (2' or 3')

Floor — 3/16" Floor

Gate

10 Gauge Solid steel combination gate —
Capable of top swing, bottom swing,
center split and removable.

Hoist

Scott LL-800 Drop Hinge (Scissors Type),
26,000 lb. Capacity

Axles

(2) 7,000 lb. Dexter E-Z Lube

Brakes — Electric and Forward Self-Adjusting

Tire/Wheel

(4) ST235-80R-16E Range Radial Tires
with 8-hole White Wheels

Hitch

2 5/16" Adjustable Coupler, Pintle or
2 5/16 Gooseneck

Jack

(1) 10,000 lb. Heavy Duty Spring Loaded Jack

Battery

(2) Interstate Deep Cell with Battery Charger

Ramps — (2) 6' Slide-In

D-Rings — (4) (Inside Box)

Tarp Tie Down Hooks — Yes

Stake Pockets — Yes

Breakaway Kit

12-Volt with Full Charge Indicator, Switch & Battery

Lights — Rubber Mounted LED

Reflector Tape — Yes

Light Plug Holder — Yes

Wire Harness — Modular Wire Harness

Safety Chain — (2) 3/8"

Finish — Zinc rich primed and powder coat finish

Dump Trailer

20,000 lb. GVW DT8X16E104GN • DT8X18E104GN
DT8X20E104GN



GVWR — 20,000 LB.

Box Size — 96" Wide x 16', 18' or 20' Long

Sides — 10 Gauge Solid Steel Sides (54")

Floor — 3/16" Floor

Gate

10 Gauge Solid Steel Gate
Center-Split (Barn Door Style)

Hoist

Scott LL-800 Drop Hinge (Scissors Type),
26,000 lb. Capacity

Axles

(2) 10,000 lb. Dexter General Duty Oil Bath Axles

Brakes — Electric

Tire/Wheel

(8) ST235-80R-16E Range Radial Tires
with 8-hole Dual Wheels

Hitch

2 5/16" Adjustable Gooseneck Coupler

Jack

(1) 10,000 lb. Heavy Duty Spring Loaded Jack

Battery

(2) Interstate Deep Cell with Battery Charger

Ramps — None (Optional)

D-Rings — None

Stake Pockets — Yes

Breakaway Kit

12-Volt with Full Charge Indicator, Switch & Battery

Lights — Rubber Mounted LED

Reflector Tape — Yes

Light Plug Holder — Yes

Wire Harness — Modular Wire Harness

Safety Chain — (2) 3/8"

Finish — Zinc rich primed and powder coat finish

Dump Trailer

Options & Features



Optional mesh roll tarp.



Rubber mounted LED lights.



Battery and pump storage.



Cylinder lift on 5,000 GVW.



Ramp storage.



Battery & power unit storage.



Ramp storage.



Gate operation--top swing.



Gate operation--center split.



Ramp placement.



Spare tire mount.



Optional gooseneck.



Gate locking mechanism.



Manufactured at:
Behnke Enterprises, Inc.
800 Ninth Ave. NW • Farley, IA 52046
Ph. 563-744-3246 • Fax 563-744-9066
www.behnkeenterprises.com



Sold at dealers near you!